

AirStation™ N-Technology 150Mbps Cable Router



The Buffalo AirStation™ N-Technology 150Mbps router uses the latest wireless LAN technology to deliver high speed Internet connections of up to 150Mbps, 3x faster than Wireless-G. Incorporating a built-in 100Mbps 4-Port Router, enabling shared connections between home PC's and is easy to setup with the Buffalo AirStation™ One-Touch Secure System (AOSS™).

The ideal router for sharing your Internet connection between the family when viewing files, music, or video and perfect to use when working from home. Simple push button set-up for a great combination of speed and security!

| High Speed Wireless Connection up to 150Mbps using N-Technology

| Supports WDS to increase coverage with optional Repeater. This is fully compatible with 802.11n/g/b devices from other vendors

| Enhanced Wireless & Wired Multi Security Management

| Easy setup with AirStation™ One-Touch Secure System (AOSS™) or WPS



AirStation™ N-Technology
150Mbps Cable Router - WCR-GN

Key Specifications

- N-Technology provides improved performance and extended range over Wireless-G.
- Wireless connection speed of up to 150Mbps
- Supports WDS to increase coverage with optional Repeater. This is fully compatible with 802.11n/g/b devices from other vendors
- Supports WPA2, WPA-PSK (TKIP, AES) and 128/64-bit WEP Security
- Automatic channel support selects the best available Wireless networking channel
- Easy set-up with AirStation™ One-Touch Secure System (AOSS™) or WPS
- Built-in DHCP Server
- Built-in 4-port 10/100 Auto-Sensing Switch
- Includes NAT and SPI Firewall
- Warranty - 2 Years

SPECIFICATIONS

Wireless LAN Interface	
Standard Compliance	IEEE802.11n Technology, IEEE802.11g, IEEE802.11b
Transmission Method	Direct Sequence Spread Spectrum (DSSS), OFDM
Frequency Range	2.412 - 2.462GHz (Channels 1-11)
Transmission Rate	802.11n mode: max 150Mbps 802.11g mode: max 54Mbps 802.11b mode: max 11Mbps
Access mode	Infrastructure Mode
Security	WPA2-PSK(AES, TKIP), WPA-PSK(AES, TKIP), 128/64-bit WEP

Wired LAN/WAN Interface	
Standard Compliance	IEEE802.3, IEEE802.3u
Transmission Rate	10/100Mbps
Transmission Encoding	4B5B/MLT-3(100BASE-TX), Manchester Coding (10BASE-T)
Speed and Flow Control	Auto sensing, AutoMDIX
Number of LAN Ports	4
LAN Port Connector	RJ-45
Number of WAN Ports	1
WAN Port Connector	RJ-45

Other	
Set-up Utility OS Support	Windows® 7™ (32/64bit), Windows® Vista™ (32bit), Windows® XP
Dimensions (WxDxH)	118 x 23 x 104mm
Weight	144g
Power Consumption	0-40°C, 20-80% (non-condensing)
Operating Environment	Max 5.8W
Power Supply	External AC 100-240V 50/60Hz



Actual data throughput and range will vary depending upon network conditions and environment factors, including volume of network traffic, building materials and construction, and network overhead.

About Buffalo

Buffalo Inc., based in Nagoya, Japan, is a leading global provider of award-winning networking, storage and multi-media solutions for the home and small business environments as well as for system builders and integrators. With three decades of networking and computer peripheral experience, Buffalo has proven its commitment to delivering innovative, best-of-breed solutions that have put the company at the forefront of infrastructure technology.

© Buffalo Inc. 2010. BUFFALO logo, AirStation, Nfiniti, AOSS, TeraStation, LinkStation, DriveStation, DriveStation 2Share, MiniStation and LinkTheater are either trademarks or registered trademarks of Melco Holdings Inc. or Buffalo Inc. Microsoft Windows and Microsoft logo are either registered trademarks or trademarks of Microsoft corporation in United States and/or other countries. The names and logos of other companies mentioned herein belong to their respective owners. The information within this datasheet is subject to change without notice. All rights reserved. E & OE.